


RETINA



www.unilamp.co.th/en/p/retina

■ GENERAL WALL LIGHT



RETINA is a round wall/ceiling light with robust aluminium construction and impact resistant polycarbonate diffuser. The LED module is available with built-in microwave motion sensor and hi-low light function. The high protection rating of IP65 and IK09 allows **RETINA** to be installed in rough outdoor environments. With a diffused light distribution, it provides smooth and uniform illumination in private and public areas and is also suitable for commercial use. The front cover is available in various designs; moreover, **RETINA** is available in two sizes with the choice of six different colors. The LED module is easily replaceable for future upgrade.



Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Polycarbonate diffuser.
- Post-cured silicone gasket.
- High quality LED module and driver. Replaceable for future upgrade.
- Optional with motion detector (Microwave Sensor).
- Push-in connector for easy installation.
- Installation work has to be carried out according to the enclosed product manual.

Available Color


Black	[replace the last 2 digits of ordering code with 01]
Graphite	[replace the last 2 digits of ordering code with 02]
Dark Grey	[replace the last 2 digits of ordering code with 03]
Aluminium Silver	[replace the last 2 digits of ordering code with 04]
White	[replace the last 2 digits of ordering code with 06]
Wooden Brown	[replace the last 2 digits of ordering code with 07]

RETINA

Mini RETINA 1




- Ø265 - -100 -



Mini RETINA 2



- Ø265 - -105 -



Mini RETINA 3




- Ø265 - -120 -



Mini RETINA 4




- Ø265 - -120 -



Mini RETINA 5



- Ø265 - -120 -



Mini RETINA Flat



- Ø265 - -72 -



Mini RETINA

GENERAL WALL LIGHT

Mini RETINA 1 / 7009

Mini RETINA 2 / 7015

Mini RETINA 3 / 7013

Mini RETINA 4 / 7047

Mini RETINA 5 / 7037

Mini RETINA Flat / 7072

Luminaire Performance

430 - 950 lm

12 - 15 W

32 - 74 lm/W

Beam Options



Color Temperature

3000K/ 4000K


Controller

On-Off/ Motion Sensor/ DALI

Neo Maxi RETINA 1




Ø364 117




Neo Maxi RETINA 2




Ø364 126



Neo Maxi RETINA 3




Ø364 143



Neo Maxi RETINA 4




Ø364 143



Neo Maxi RETINA 5




Ø364 143



Neo Maxi RETINA 6




Ø364 193



Maxi RETINA Flat



Ø364 87



Maxi RETINA

GENERAL WALL LIGHT

Neo Maxi RETINA 1 / 7080
 Neo Maxi RETINA 2 / 7081
 Neo Maxi RETINA 3 / 7082
 Neo Maxi RETINA 4 / 7083
 Neo Maxi RETINA 5 / 7084
 Neo Maxi RETINA 6 / 7085
 Maxi RETINA Flat / 7073

Luminaire Performance

510 - 1870 lm
 23 - 28 W
 22 - 74 lm/W

Beam Options



Color Temperature

3000K/ 4000K

Controller

On-Off/ Motion Sensor/ DALI



REDESIGN - ISRAEL